

Stainless Steel Manifold



Features

- ▶ **Quick-assembly and disassembly**
Each component can be easily removed for cleaning and autoclaving.
- ▶ **SS316 stainless steel**
All wetted parts of MultiVac 300 / 600 manifold are made of SS316 stainless steel, making it durable and autoclavable.
- ▶ **Quick-Fit hose barb**
Detachable hose barb can be connected to either side of the manifold quickly towards the vacuum source.
- ▶ **Innovative vent valve design**
Adjustable vent valve design eliminates water hammer phenomenon and helps drain residual liquid in pipe.
- ▶ **Individual control valve**
Control feeds of each funnel individually.
- ▶ **Use with ROCKER SF funnels**
Use MultiVac 300 / 600 - MB with ROCKER SF funnels. These stainless steel 316 funnels can be sterilized with flame and made this system super handy for microbiological tests.
- ▶ **Two-Year Warranty**

Applications

- ▶ Microbiological test
- ▶ Suspended solid test
- ▶ Vacuum filtration

Ordering Information

180300-02

MultiVac 300 - MB, 3 Places SS Manifold

180600-02

MultiVac 600 - MB, 6 Places SS Manifold

180100-01

SF stainless steel funnel, 100 mL


180100-03

SF stainless steel funnel, 300 mL

180100-05

SF stainless steel funnel, 500 mL

MultiVac 300 - MB



Adjustable vent valve



Quick-Fit hose barb

MultiVac 600 - MB



Specification

Model	MultiVac 300 - MB	MultiVac 600 - MB
Number of branch	3	6
Filter diameter	47 mm	47 mm
Funnel capacity	(Optional) 100 mL / 300 mL / 500 mL	(Optional) 100 mL / 300 mL / 500 mL
Hose barb	ID8	ID8
Net weight	2.9 Kg	5.0 Kg
Dimension (LxWxH)	48 x 13 x 11 cm	85 x 13 x 11 cm
Part	Material	Material
Body	SS316	SS316
Control valve	SS316	SS316
Adaptor	SS316	SS316
Membrane support	SS316	SS316
Hose barb / Vent valve	SS316	SS316
Handle / Knob	Aluminum	Aluminum
O-ring	FKM, Silicone	FKM, Silicone

* Materials in contact with the filtrate are SS316, FKM.