# Stainless Steel Spin-Lock Design Multi-Branch Manifold



# Quick-assembly and disassembly Each component can be easily removed for cleaning and autoclaving.

#### SS316 Stainless Steel

All wetted parts of MultiVac 300 / 600 manifold are made of SS316 stainless steel, which is more durable.

#### Quick-Fit hose barb

Detachable hose barb can be connected to either side of the manifold quickly towards the vacuum source.

#### Innovative vent valve design

An adjustable vent valve integrated with the pipe can eliminate water hammer phenomenon and help drain out residual waste water.

# Individual control valve Each branch permits individual control.

#### Compatible with different sizes of funnels

MultiVac 300 / 600 - MB manifolds can accept Rocker SF stainless steel funnel - 100 / 300 / 500 ml at option.

# **Applications**

- Microbiological test
- Suspended solid test
- Vacuum filtration

# **Ordering Information**

180300-02

MultiVac 300 - MB, 3 Places SS Manifold with Rocker SF funnel adaptor

**180600-02** MultiVac 600 - MB, 6 Places SS Manifold with Rocker SF funnel adaptor

180100-01 SF, 100 ml Stainless Steel Funnel

180100-03

SF, 300 ml Stainless Steel Funnel

180100-05 SF, 500 ml Stainless Steel Funnel



# MultiVac 600 - MB

## Specification

Model	MultiVac 300 - MB	MultiVac 600 - MB
Number of branch	3	6
Filter diameter	47 mm	47 mm
Funnel capacity	100 ml / 300 ml / 500 ml (optional)	100 ml / 300 ml / 500 ml (optional)
Hose barb	ID8	ID8
Dimension (LxWxH)	48 x 13 x 11 cm	85 x 13 x 11 cm
Part	Material	Material
Body	SS316	SS316
Control valve	SS316	SS316
Adaptor	SS316	SS316
Membrane support	SS316	SS316
Hose barb / Vent valve	SS316	SS316
Handle / Knob	Aluminum	Aluminum



# Stainless Steel Spin-Lock Design Multi-Branch Manifold



## **Features**

 Quick-assembly and disassembly
Each component can be easily removed for cleaning and autoclaving.

#### SS316 Stainless Steel

All wetted parts of MultiVac 300 / 600 manifold are made of SS316 stainless steel, which is more durable.

#### Quick-Fit hose barb

Detachable hose barb can be connected to either side of the manifold quickly towards the vacuum source.

#### Innovative vent valve design

An adjustable vent valve integrated with the pipe can eliminate water hammer phenomenon and help drain out residual waste water.

## Individual control valve

Each branch permits individual control.

## **Applications**

- Microbiological test
- Suspended solid test
- Vacuum filtration

# **Ordering Information**

#### 180301-02

MultiVac 301 - MB, 3 Places SS Manifold with Rocker SF funnel adaptor, 100 ml SF funnel x 3

#### 180601-02

MultiVac 601 - MB, 6 Places SS Manifold with Rocker SF funnel adaptor, 100 ml SF funnel x 6

#### 180100-01

SF, 100 ml Stainless Steel Funnel

#### 180100-03

SF, 300 ml Stainless Steel Funnel

#### 180100-05

SF, 500 ml Stainless Steel Funnel

## MultiVac 301 - MB





Quick-Fit hose barb

# MultiVac 601 - MB



## Specification

Model	MultiVac 301 - MB	MultiVac 601 - MB
Number of branch	3	6
Filter diameter	47 mm	47 mm
Funnel capacity	100 ml	100 ml
Hose barb	ID8	ID8
Dimension (LxWxH)	48 x 13 x 14.3 cm	85 x 13 x 14.3 cm
Part	Material	Material
Body	SS316	SS316
Control valve	SS316	SS316
Adaptor	SS316	SS316
Membrane support	SS316	SS316
Hose barb / Vent valve	SS316	SS316
Handle / Knob	Aluminum	Aluminum
Funnel	SS316	SS316



# How to order? You can select Combination A, B or C





# to complete your order



