Stainless Steel Multi-Branch Manifold





Features

Quick-assembly and disassembly Each component can be easily removed for cleaning and autoclaving.

► SS316 stainless steel

All wetted parts of MultiVac 300 / 600 manifold are made of SS316 stainless steel, making it durable and autoclavable.

Quick-Fit hose barb

Detachable hose barb can be connected to either side of the manifold quickly towards the vacuum source.

► Innovative vent valve design

Adjustable vent valve design eliminates water hammer phenomenon and helps drain residual liquid in pipe.

► Individual control valve

Control feeds of each funnel individually.

▶ Use with ROCKER SF funnels

Use MultiVac 300 / 600 - MB with ROCKER SF funnels. These stainless steel 316 funnels can be sterilized with flame and made this system super handy for microbiological tests.

► Two-Year Warranty

Applications

- ► Microbiological test
- Suspended solid test
- Vacuum filtration

Ordering Information

180300-02

 $\label{eq:MultiVac 300 - MB, 3 Places SS Manifold} \\ with ROCKER SF funnel adaptor$

180600-02

MultiVac 600 - MB, 6 Places SS Manifold with ROCKER SF funnel adaptor

180100-01

SF Stainless Steel Funnel, 100 mL

180100-03

SF Stainless Steel Funnel, 300 mL

180100-05

SF Stainless Steel Funnel, 500 mL





Specification

Model	MultiVac 300 - MB	MultiVac 600 - MB
Number of branch	3	6
Filter diameter	47 mm	47 mm
Funnel capacity	(optional) 100 mL / 300 mL / 500 mL	(optional) 100 mL / 300 mL / 500 mL
Hose barb	ID8	ID8
Net weight	2.9 Kg	5.0 Kg
Dimension (LxWxH)	48 x 13 x 11 cm	85 x 13 x 11 cm
Part	Material	Material
Part	SS316	SS316
Body	SS316	SS316
Body Control valve	SS316 SS316	SS316 SS316
Body Control valve Adaptor	SS316 SS316 SS316	SS316 SS316 SS316

